


m/035/012

STATE ACTION

Mail to:
Grants Coordinator
State Clearinghouse
116 State Capitol
Salt Lake City, Utah 84114
(801) 538-1027

1. Administering State Agency: Division of Oil, Gas and Mining 355 West North Temple, Suite 350 Salt Lake City, Utah 84180-1203	2. State Application Identifier Numbers: (assigned by State Clearinghouse)
	3. Approximate date project will start: Currently active as a small mining operation.
4. Areawide clearinghouse(s) receiving State Action: Wasatch Front Regional Council Wilbur R. Jeffries, Executive Director 420 West 1500 South, Suite 200 Bountiful, Utah 84010	
5. Type of action: <input type="checkbox"/> Lease <input checked="" type="checkbox"/> Permit <input type="checkbox"/> License <input type="checkbox"/> Land Acquisition <input type="checkbox"/> Land Sale <input type="checkbox"/> Land Exchange <input type="checkbox"/> Other _____	
6. Title of proposed action: Harper Contracting Inc. - Parleys Canyon Quarry - M/035/012 Expansion of an existing small surface mine to a large mine status.	
7. Description: <u>During Operations:</u> Quarrying will be performed using conventional open pit surface mining techniques of drilling and blasting. Blastholes will be created using airtrack drills. Blasting will be performed using ANFO. Blasted material will be dozed to the southwest edge of the active quarry where it will run downslope to the old quarry floor. The material is loaded into trucks using a front end loader, or it is transferred to a crushing/screening plant for further processing. Final products will be transported off site using trucks. The outer lip of a ridge line will act as a visual buffer for the quarry area. All new access roads to be constructed will be located on private lands. Existing USFS roads will also be used for access. <u>After Operations:</u> All trash, oil, fuel, equipment, debris and structures will be removed from the site. All remaining stockpiles of loose material will be graded down to slopes of 3H:1V or less. Any trenches will be backfilled to eliminate safety hazards. Highwalls will be left, as is, with a 3 foot high safety berm in place at the outer edge of the bench. The overall slope angle of the remaining quarry face will be 45° or less. Quarry benches will receive revegetation treatments. There will be no ponds or other impounding structures remaining after operations. Roads to be reclaimed will be regraded to eliminate the inner roadside ditches and water bars will be constructed to convey runoff across the road surface. Reclaimed roads and the processing area will be scarified to increase infiltration of water and enhance revegetation potential. The ripped and scarified areas will be treated with fertilizer and broadcast seeded. Mulching will be accomplished by adding clean alfalfa hay or manure. Vehicle access to these reclaimed areas will be restricted by six foot high berms.	
8. Land affected (site location map required) (indicate county) SW1/4 Section 18 and NW 1/4 Section 19, Township 1 South, Range 2 East, SLBM, Salt Lake County	
9. Has the local government(s) been contacted? To be copied with this notice.	
10. Possible significant impacts likely to occur: None	

11. Name and phone number of district representative from your agency near project site, if applicable: N/A	
12. For further information, contact: D. Wayne Hedberg, Permit Supervisor	13. Signature and title of authorized officer:  Permit Supervisor
Phone: (801) 538-5340	Date: 2/13/96

2: M035012.rdc

4/035/012

(MOI)

1:930 000 FEET | 111°45' 40°45'

